

Habitat Program and Oil Spill Publications
by Auke Bay Laboratory
1/02 - by author

Arasmith, P. J., C. C. Brodersen, and M. M. Babcock. 1989. Convenient method for maintaining small crabs in isolation. *Prog. Fish Cult.* 51: 243-246.

Babcock, M.M., G.V. Irvine, P.M. Harris, J.A. Cusick, and S.D. Rice. 1996. Persistence of oiling in mussel beds three and four years after the *Exxon Valdez* oil spill. Pages 286-297 in Rice, S. D., R. B. Spies, D. A. Wolfe, and B. A. Wright (eds). Proceedings of the *Exxon Valdez* Oil Spill Symposium. American Fisheries Society Symposium 18. American Fisheries Society, Bethesda, Maryland

Babcock, M. M. 1985. Morphology of olfactory epithelium of pink salmon, *Oncorhynchus gorbuscha*, and changes following exposure to benzene: a scanning electron microscope study. Pp. 259-267 In: Gray, J. S. and M. E. Christiansen (eds.), Marine Biology of Polar Regions and Effects of Stress on Marine Organisms. Proceedings of the 18th European Biology Symposium, University of Oslo, Norway, 14-20 August, 1983. John Wiley and Sons, Chichester, England.

Bailey, J.E., S.D. Rice, J.J. Pella, and S.G. Taylor. 1980. Effects of seeding density of pink salmon *Oncorhynchus gorbuscha* eggs on water chemistry, fry characteristics, and fry survival in gravel incubators. *Fish. Bull.* 78(3):649-658.

Benville, P. E., and S. Korn. 1977. The acute toxicity of six monocyclic aromatic crude oil components to striped bass (*Morone saxitalis*) and bay shrimp (*Crago franciscorum*). *Calif. Fish Game* 63(4): 204-209.

Bisson, P. A., R. E. Bilby, M. D. Bryant, C. A. Dolloff, G. B. Grette, R. A. House, M. L. Murphy, K. V. Koski, and J. R. Sedell. 1987. Large woody debris in forested streams in the Pacific Northwest: Past, Present, and Future. Pages 143-190 In E. O. Salo and T. W. Cundy (editors) Streamside management: forestry and fishery interactions. University of Washington Institute of Forest Resources, No. 57.

Bradshaw, R.P., and R.A. Heintz. 1999. SASPINK: a database documenting 64 years of pink salmon escapements. Pgs. 103-106 In: Proceedings of the 1999 Pink and Chum Salmon Workshop, National Marine Fisheries Service, Juneau, Alaska.

Brodersen, C., J. Short, L. Holland, M. Carls, J. Pella, M. Larsen, and S. Rice. 1999. Evaluation of oil removal from beaches 8 years after the Exxon Valdez oil spill. Proceedings of the Twentysecond Arctic and Marine Oilspill Program (AMOP) Technical Seminar, Environment Canada, Ottawa, Ont. pp. 325-336.

Brodersen, C. C., P. M. Rounds, and M. M. Babcock. 1990. Diet influences cannibalism in laboratory-held juvenile king crabs (*Paralithodes cantschatica*). Pp. 377-381 In: Proc. Int. Symp. King and Tanner Crabs, Anchorage, Alaska. Alaska Sea Grant College Program Report No. 90-94.

Brodersen, C.C., S.D. Rice, J.W. Short, T.A. Mecklenburg, and J.F. Karinen. 1977. Sensitivity of larval and adult Alaska shrimp and crabs to acute exposures of the water-soluble fraction of Cook Inlet crude oil. Pp. 575-578 in API, EPA, and USCG, 1977 Oil Spill Conference (Prevention, Behavior, Control, Cleanup), Proceedings of a symposium March 8-10, 1977, New Orleans. American Petroleum Institute, Washington, D.C.

Brown, E.D. and M.G. Carls. 1998. Pacific herring. Restoration Notebook, Exxon Valdez Oil Spill Trustee Council. September 1998: 1-8.

Brown, E.D., T.T. Baker, J.E. Hose, R.M. Kocan, G.D. Marty, M.D. McGurk, B.L. Norcross, and J. Short. 1996. Injury to the early life history stages of Pacific herring in Prince William Sound after the *Exxon Valdez* oil spill. Pages 448-462 in Rice, S. D., R. B. Spies, D. A. Wolfe, and B. A. Wright (eds). Proceedings of the *Exxon Valdez* Oil Spill Symposium. American Fisheries Society Symposium 18. American Fisheries Society, Bethesda, Maryland

Brown, E.D., B.L. Norcross, and J.W. Short. 1996. An introduction to studies on the effects of the *Exxon Valdez* oil spill on early life history stages of Pacific herring, *Clupea pallasi*, in Prince William Sound, Alaska. Canadian Journal of Fisheries and Aquatic Sciences. 53: 2337-2342.

Byerly, M. 2001. Growth, condition, movement, and density of age-1 copper rockfish in vegetated habitats of Sitka Sound, Alaska. M.S. Thesis. University of Alaska Fairbanks

Carls, M.G., G.D. Marty, and J.E. Hose. Submitted. Synthesis of the toxicological and epidemiological impacts of the Exxon Valdez oil spill on Pacific herring in Prince William Sound, Alaska. Can. J. Fish. Aquat. Sci.

Carls, M.G., M. M. Babcock, P.M. Harris, G.V. Irvine, J.A. Cusick, and S.D. Rice. 2001. Persistence of Oiling in Mussel Beds after the Exxon Valdez Oil Spill. Mar. Environ. Res. 51:167-190

Carls, M. G., R. Heintz, A. Moles, S. D. Rice, and J. W. Short. 2001. Long term biological damage...what do we know and how should it influence our decisions on response, assessment and restoration? Pp. 399-403 In: Proceedings of the 2001 International Oil Spill Conference (Global Strategies for Prevention, Preparedness, Response, and Restoration). American Petroleum Institute Publication 14710, American Petroleum Institute, Washington DC.

- Carls, M. G., J. E. Hose, R. E. Thomas, and S.D. Rice. 2000. Exposure of Pacific herring to weathered crude oil: assessing effects on ova. *Environ. Toxicol. Chem.* 19:1649-1659.
- Carls, M.G., S.D. Rice, and J.E. Hose. 1999. Sensitivity of fish embryos to weathered crude oil: Part I. low level exposure during incubation causes malformations, genetic damage, and mortality in larval Pacific herring (*Clupea pallasi*). *Environ. Toxicol. Chem.* 18: 481-493.
- Carls, M.G., G.D. Marty, T.R. Meyers, R.E. Thomas, and S.D. Rice. 1998. Expression of viral hemorrhagic septicemia virus in pre-spawning Pacific herring (*Clupea pallasi*) exposed to weathered crude oil. *Canadian Journal of Fisheries and Aquatic Sciences* 55: 2300-2339
- Carls, M G., L. Holland, M. Larsen, J. L. Lum, D. G. Mortensen, S. Y. Wang, and A. C. Wertheimer. 1996. Growth, Feeding, and survival of pink salmon fry exposed to food contaminated with crude oil. Pages 608-618 in Rice, S. D., R. B. Spies, D. A. Wolfe, and B. A. Wright (eds). *Proceedings of the Exxon Valdez Oil Spill Symposium*. American Fisheries Society Symposium 18. American Fisheries Society, Bethesda, Maryland.
- Carls, M.G., A.C. Wertheimer, J.W. Short, R.M. Smolowitz, and J. J. Stegeman. 1996. Contamination of juvenile pink and chum salmon by hydrocarbons in Prince William Sound after the *Exxon Valdez* oil spill. Pages 593-607 in Rice, S. D., R. B. Spies, D. A. Wolfe, and B. A. Wright (eds). *Proceedings of the Exxon Valdez Oil Spill Symposium*. American Fisheries Society Symposium 18. American Fisheries Society, Bethesda, Maryland.
- Carls, M. G., and C. E. O'Clair. 1995. Responses of Tanner Crabs, *Chionoecetes bairdi*, exposed to cold air. *Fish. Bull.* 93:44-56.
- Carls, M. G., and C. E. O'Clair. 1990. Influence of cold air exposures on ovigerous Red King crabs (*Paralithodes camtschatica*) and Tanner crabs (*Chionoecetes bairdi*) and their offspring. pp. 329-343 In: Proc. Int. Symp. King and Tanner Crabs. Anchorage, Alaska. University of Alaska, Alaska Sea Grant College Program Report No. 90-94.
- Carls, M.G. and S.D. Rice. 1990. Abnormal development and growth reductions of pollock *Theragra chalcogramma* embryos exposed to water-soluble fractions of oil. *Fishery Bull.*, U.S. 88:29-37.
- Carls, M.G. and S.D. Rice. 1988. Sensitivity differences between eggs and larvae of walleye pollock *Theragra chalcogramma* to hydrocarbons. *Mar. Environ. Res.* 26:285-297.
- Carls, M. G. 1987. Effects of dietary and water borne oil exposure on larval Pacific herring (*Clupea harengus pallasi*). *Mar. Envir. Res.* 22(3): 253-270.
- Carls, M. G. and S. Korn. 1985. Sensitivity of arctic marine amphipods and fish to petroleum hydrocarbons. *Can. Tech. Rept. Fish. Aquat. Sci.* 1368:11-26.

- Carls, M.G., and S.D. Rice. 1984. Toxic contribution of specific drilling mud components to larval shrimp and crabs. Mar. Env. Res. 12(1):45-62.
- Carls, M. G. 1978. Some toxic and behavioral effects of number 2 fuel oil on the eggs and larvae of *Scomber scombrus* L. and *Gadus morhua* L. M. S. Thesis, Dalhousie University, Halifax, Nova Scotia. 96 p.
- Celewycz, A. G. and A. C. Wertheimer. 1996. Prey availability to juvenile salmon after the *Exxon Valdez* oil spill. Pages 564-577 in Rice, S. D., R. B. Spies, D. A. Wolfe, and B. A. Wright (eds). Proceedings of the *Exxon Valdez* Oil Spill Symposium. American Fisheries Society Symposium 18. American Fisheries Society, Bethesda, Maryland
- Collodi, P., M.S. Stekoll, and S.D. Rice. 1984. Hepatic aryl hydrocarbon hydroxylase activities in coho salmon *Oncorhynchus kisutch*. Comp. Biochem. Physiol. 79C:337-341.
- Collodi, P. 1983. Effect of petroleum hydrocarbons on hepatic aryl hydrocarbon hydroxylase activity in coho salmon (*Oncorhynchus kisutch*). M. S. Thesis, University of Alaska, Juneau, Alaska 120 p.
- Csepp, D. J., B. L. Wing. 2000. Northern range extensions and habitat observations for blackeye goby *Rhinogobiops nicholsii* and kelp perch *Brachystius frenatus* in southeastern Alaska. Alaska Fishery Research Bulletin 6(2): 78-84.
- Eiler, J. H. and S. W. Johnson. 1996. A remote system for tracking derelict trawl web in subarctic conditions. In Cristalli et al. (eds.), Procedings of the 13th international symposium on biotelemetry, Biotelemetry XIII, 26-31 March 1995, Williamsburg, VA, pp. 199-204.
- Evans, D.R., and S.D. Rice. 1974. Effects of oil on marine ecosystems: a review for administrators and policy makers. Fish. Bull., U.S. 72(3):625-638.
- Everest, F. H., R. L. Beschta, J. C. Scrivener, K V. Koski, J. R. Sedell, and C. J. Cederholm. 1987. Fine sediment and salmonid production: a paradox. Pages 98-142 in E. O. Salo, and T. W. Cundy, editors. Streamside management: Forestry and fishery interactions. College of Forest Resources, University of Washington, Contribution 57, Seattle.
- Fleeger, J.W., T. C. Shirley, M. G. Carls, and M. A. Todaro. 1996. Meiofaunal recolonization experiment with oiled sediments. Pages 271-285 in Rice, S. D., R. B. Spies, D. A. Wolfe, and B. A. Wright (eds). Proceedings of the *Exxon Valdez* Oil Spill Symposium. American isheries Society Symposium 18. American Fisheries Society, Bethesda,

- Freese, J. L. and M. M. Babcock. 1990. The utility of artificial substrate collection devices to determine time and location of red king crab (*Paralithodes camtschatica*) glaucothoe settling in Auke Bay, Alaska. Pp. 119-130 In: Proc. Int. Symp. King and Tanner Crabs, Anchorage, Alaska. Alaska Sea Grant College Program Report No. 90-94.
- Freese, J. L., R. P. Stone, and C. E. O'Clair. 1988. Factors affecting benthic deposition of bark debris at log transfer facilities in southeastern Alaska: a short-term retrospective evaluation. NOAA Technical Memorandum NMFS F/NWC-136.
- Geiger, H. J., B. G. Bue, S. Sharr, A. C. Wertheimer, and T. M. Willette. 1996. A life history approach to estimating damage to Prince William Sound pink salmon caused by the *Exxon Valdez* oil spill. Pages 487-498 in Rice, S. D., R. B. Spies, D. A. Wolfe, and B. A. Wright (eds). Proceedings of the *Exxon Valdez* Oil Spill Symposium. American Fisheries Society Symposium 18. American Fisheries Society, Bethesda, Maryland
- Gesinski, R.M., S.D. Rice, R. Parker, T.C. Poder, S.R. McClelland, and R.L. DeCarlo. 1974. Effects of potato beetle hemolymph injections on physiological responses in the albino rat. Ohio J. Sc. 74:145-150
- Gibbons, D. R., W. R. Meehan, K V. Koski, and T. R. Merrell, Jr. 1987. History of studies of fisheries and forestry interactions in southeastern Alaska. Pages 297-329 in E. O. Salo, and T. W. Cundy, editors. Streamside management: Forestry and fishery interactions. College of Forest Resources, University of Washington, Contribution 57, Seattle.
- Gharrett, J.A., and S.D. Rice. 1987. Influence of simulated tidal cycles on aromatic hydrocarbon uptake and elimination by the shore crab *Hemigrapsus nudus*. Mar. Biol. 95:365-370.
- Gharrett, J. A. 1986. Effects of a hydrocarbon contaminated diet on survival, feeding, growth, and molting of juvenile red king crab, *Paralithodes camtschatica* (Tilesius). M. S. Thesis, University of Alaska, Juneau, Alaska. 178 p.
- Gharrett, J.A., and S.D. Rice. 1985. Influence of an oil- contaminated diet on feeding rates, growth, and molting success of juvenile red king crabs, *Paralithodes camtschatica*. In Proceedings of the International King Crab Symp., pp. 371-375. Anchorage, AK.
- Gregory, S. V., G. A. Lamberti, D. C. Erman, K V. Koski, M. L. Murphy, and J. R. Sedell. 1987. Influence of forest practices on aquatic production. Pages 233-256 In E. O. Salo and T. W. Cundy (editors) Streamside management: forestry and fishery interactions. University of Washington Institute of Forestry Resources, No. 57.

Harris, P.M., S.D. Rice, M.M. Babcock, and C.C. Brodersen. 1996. Within-bed distribution of *Exxon Valdez* crude oil in Prince William Sound blue mussels and underlying sediments. Pages 298-308 in Rice, S. D., R. B. Spies, D. A. Wolfe, and B. A. Wright (eds). Proceedings of the *Exxon Valdez* Oil Spill Symposium. American Fisheries Society Symposium 18. American Fisheries Society, Bethesda, Maryland

Hawkins, C. P., M. L. Murphy, N. H. Anderson, and M. A. Wilzbach. 1983. Density of fish and salamanders in relation to riparian canopy and physical habitat in streams of the northwestern United States. Can. J. Fish. Aquat. Sci. 40:1173-1185.

Hawkins, C. P., M. L. Murphy, and N. H. Anderson. 1982. Effects of canopy, substrate composition, and gradient on the structure of macroinvertebrate communities in Cascade Range streams of Oregon. Ecology 63:1840-1856.

Heifetz, J., S. W. Johnson, K V. Koski, and M. L. Murphy. 1989. Migration timing, size, and salinity tolerance of sea-type sockeye salmon (*Oncorhynchus nerka*) in an Alaska estuary. Can. J. Fish. Aquat. Sci. 46:633-637.

Heifetz, J., S. W. Johnson, K V. Koski, M. L. Murphy, and J. F. Thedinga. 1987. Abundance and distribution of juvenile sockeye salmon in the lower Taku River, Alaska. In G. Gunstrom (editor), Southeast Alaska inter-divisional sockeye salmon program review. ADF&G, Juneau, AK.

Heintz, R.A., S.D. Rice, A.C. Wertheimer, R.F. Bradshaw, F.P. Thrower, J.E. Joyce, and J.W. Short. 2000. Delayed effects on growth and marine survival of pink salmon *Oncorhynchus gorbuscha* after exposure to crude oil during embryonic development. Mar. Ecol. Prog. Ser. 208: 205-216.

Heintz, R. A., J.W. Short, and S.D. Rice. 1999. Sensitivity of fish embryos to weathered crude oil: Part II. Incubating downstream from weathered Exxon Valdez crude oil caused increased mortality of pink salmon (*Oncorhynchus gorbuscha*) embryos. Environ. Sci. Tech. 18: 494-503.

Heintz, R. A., S. Rice, and B. Bue. 1996. Field and laboratory evidence for reduced fitness in pink salmon that incubate in oiled gravel. Pg. 91-94 In: Proceedings of Contaminant Effects on Fish Symposium, International Congress on the Biology of Fishes, . San Francisco State Univ. July, 1996

Heintz, R., M. Wiedmer, and S. Rice. 1996. Laboratory evidence for short and long-term damage to pink salmon incubating in oiled gravel. Pg. 142-146 in Proceedings of the 17th Northeast Pacific Pink and Chum Salmon Workshop, Northwest Indian Fisheries Commission, Olympia, WA.

- Hose, J.E., E.D. Biggs, B.L. Norcross, M.D. McGurk, R.M. Kocan and J.W. Short. In press. Genetic damage in larval herring following the Exxon Valdez oil spill. Canadian Journal of Fisheries and Aquatic Sciences
- Irvine, G.V., D.H. Mann, and J.W. Short. 1999. Multi-year persistence of oil mousse on high energy beaches distant from the Exxon Valdez spill source. Marine Pollution Bulletin 38: 572-584.
- Johnson, S. W., M. L. Murphy, and D. J. Csepp. Submitted. Distribution, habitat, and behavior of rockfish (*Sebastodes* spp) in nearshore waters of Southeast Alaska. Environmental Biology of Fishes
- Johnson and Eiler. 1999. Fate of radio-tagged trawl web on an Alaskan beach. Mar. Pollut. Bull. 38:136-141.
- Johnson, S. W., R. P. Stone, and D. C. Love. 1998. Avoidance behavior of ovigerous Tanner crabs (*Chionoecetes bairdi*) exposed to mine tailings: a laboratory study. Alaska Fish. Res. Bull. 5:39-45.
- Johnson, S. W., S. D. Rice, and D. A. Moles. 1998. Effects of submarine mine tailings disposal on juvenile yellowfin sole (*Pleuronectes asper*): a laboratory study. Mar. Pollut. Bull. 36:278-287.
- Johnson, S.W., M.G. Carls, R.P. Stone, C.C. Brodersen, and S.D. Rice. 1997. Reproductive success of Pacific herring (*Clupea pallasi*) in Prince William Sound, Alaska, six years after the *Exxon Valdez* oil spill. Fishery Bulletin 95: 368-379.
- Johnson, S. W. 1994. Deposition of trawl web on an Alaska beach after implementation of MARPOL Annex V legislation. Mar. Pollut. Bull. 28:477-481.
- Johnson, S. W., J. F. Thedinga, and A. S. Feldhausen. 1994. Juvenile salmonid densities and habitat use in the main-stem Situk River, Alaska, and potential effects of glacial flooding. Northwest Science 68:284-293.
- Johnson, P.A., S.D. Rice, and M.M. Babcock (compilers). 1992. Impacts of oil pollution and Prince William studies: Bibliography of 1960-91 publications and reports, Auke Bay Laboratory. United States Department of Commerce, National Oceanic and Atmospheric Administration Technical Memorandum NMFS-AFSC-3, 98 p.
- Johnson, S. W., J. F. Thedinga, and K V. Koski. 1992. Life history of juvenile ocean-type chinook salmon (*Oncorhynchus tshawytscha*) in the Situk River, Alaska. Can. J. Fish. Aquat. Sci. 49:2621-2629.

- Johnson, S. W. 1990. Distribution, abundance, and source of entanglement debris and other plastics on Alaskan beaches, 1982-88. In R. S. Shomura and M. L. Godfrey (editors), Proceedings of the second international conference on marine debris, 2-7 April 1989, Honolulu, HI, p. 331-348. U.S. Dep. Commer., NOAA Tech. Memo. NMFS SWFSC-154.
- Johnson, S. W. 1989. Deposition, fate, and characteristics of derelict trawl web on an Alaskan beach. Mar. Pollut. Bull. 20:164-168.
- Johnson, S. W. and J. Heifetz. 1988. Osmoregulatory ability of wild coho salmon (*Oncorhynchus kisutch*) and Dolly Varden char (*Salvelinus malma*) smolts. Can. J. Fish. Aquat. Sci. 45:1487-1490.
- Johnson, S. W. and T. R. Merrell. 1988. Entanglement debris on Alaskan beaches, 1986. U.S. Dep. Commer., NOAA Tech. Memo. NMFS F/NWC-126. 26 p.
- Johnson, S. W. 1987. Deposition of entanglement debris on Alaskan beaches. In D. L. Alverson and J. A. June (editors), Proceedings of the North Pacific rim fisherman's conference on marine debris, 12-16, October, Kona, HI, p. 208-229. Natural Resources Consultants, 4055 21st Avenue West, Seattle, WA.
- Johnson, S. W., J. Heifetz, and K V. Koski. 1986. Effects of logging on the abundance and seasonal distribution of juvenile steelhead in some southeastern Alaska streams. North American Journal of Fisheries Management 6:532-537.
- Johnson, S. W., and J. Heifetz. 1985. Methods for assessing effects of timber harvest on small streams. U.S. Dept. Commer., NOAA Tech. Memo. NMFS F/NWC-73.
- Johnson, S. W. 1981. *Daphnia magna* and fish processing wastes as supplemental feeds for juvenile salmonids in wastewater aquaculture. M.S. Thesis, Humboldt State University, Arcata, CA. 68 p.
- Karinen, J. F., M.M. Babcock, D.W. Brown, W.D. MacLeod, Jr., L.S. Ramos, and J.W. Short. 1993. Hydrocarbons in intertidal sediments and mussels from Prince William Sound, Alaska, 1977-1980: Characterization and probable sources. United States Department of Commerce, National Oceanic and Atmospheric Administration Technical Memorandum NMFS-AFSC-9. 69 p.
- Karinen, J. F. 1988. Sublethal effects of petroleum on biota. pp. 294-328 in: Shaw, D. G. and M. J. Hameedi (eds.) Environmental Studies in Port Valdez, Alaska: a Basis for Management. Lecture Notes on Coastal and Estuarine Studies 24. Springer-Verlag. New York.

- Karinen, J. F. 1985. Occurrence of juvenile king crabs *Paralithodes camtschatica* (Tilesius) in Auke Bay, Alaska on sediments with relatively high concentrations of aromatic hydrocarbons. Pp. 377-387 In: Proceedings of International King Crab Symposium, Jan, 1985, Anchorage, Alaska. Alaska Sea Grant Report No. 85-12.
- Karinen, J. F. 1980. Petroleum in the deep sea environment: potential for damage to biota. Environ. Int. 3: 135-144.
- Karinen, J.F., and S.D. Rice. 1974. Effects of Prudhoe Bay crude oil on molting tanner crabs *Chionoecetes bairdi*. U.S. Natl. Mar. Fish. Serv., Mar. Fish. Rev. 36(7):31-37.
- Kennish, J.M., J.L. Sharp-Dahl, K.A. Chambers, F. Thrower, S.D. Rice. 1992. The effect of a herring diet on lipid composition and cholesterol levels in the muscle tissue of pen-reared chinook salmon *Oncorhynchus tshawytscha*. Aquaculture 103:309-322.
- Kennish, J.M., J.L. Sharp-Dahl, K.A. Chambers, W.J. Whipple, and S.D. Rice. 1992. Differences in lipid, fatty acid composition, and cholesterol levels among tissues and among stocks for pen-reared chinook salmon *Oncorhynchus tshawytscha* fed on a commercial diet. In Seafood Science and Technology (Edited by G. Bligh), pp. 46-57. Fishing News Books, Blackwell Scientific Publication Limited, Oxford, England, Chapter 6.
- Kirchhofer, D. A. 1984. A stream ecosystem in an old-growth forest in Southeast Alaska Part III: Standing crop and drift of invertebrates in Porcupine Creek. Pages 71-79 in W. R. Meehan, T. R. Merrell, Jr., and T. A. Hanley (editors), Fish and Wildlife Relationships in Old-growth Forests: Proceedings of a Symposium held in Juneau, Alaska, 12-15 April 1982. American Institute of Fisheries Research Biologists.
- Kirkpatrick, B., T.C. Shirley, and C.E. O'Clair. 1999. Deep-water bark accumulation and benthos richness at log transfer and storage facilities. Alaska Fishery Research Bulletin. 5(2): 103-115.
- Korn, S., S.D. Rice, D.L. Cheatham, and D.W. Brown. 1985. Contribution of phenol and *P*-cresol to the toxicity of crude oil to pink salmon *Oncorhynchus gorbuscha* fry and kelp shrimp *Eualus suckleyi*. In Pollution and Physiology of Marine Organisms (Edited by W.B. Vernberg, A. Calabrese, F.P. Thurberg, and F.G. Vernberg), pp. 447-458. Belle W. Baruch Libr. Mar. Sci. 17, University of South Carolina Press, Columbia. 545 pp.
- Korn, S., and S.D. Rice. 1981. Sensitivity to, and accumulation and depuration of aromatic petroleum components by early life stages of coho salmon *Oncorhynchus kisutch*. Rapp. P.-v. Reun. Cons. Int. Explor. Mer. 178:87-92.

- Korn, S., D.A. Moles, and S.D. Rice. 1979. Effects of temperature on the median tolerance limit of pink salmon and shrimp exposed to toluene, naphthalene, and Cook Inlet crude oil. *Bull. Environ. Contam. Toxicol.* 21(4/5):521-525.
- Korn, S., N. Hirsch, and J. W. Strusaker. 1977. The uptake, distribution, and depuration of 14C benzene and toluene in Pacific herring, *Clupea harengus pallasi*. *Fish. Bull.* 75(3): 633-636.
- Korn, S., N. Hirsch, and J. W. Strusaker. 1976. Uptake, distribution, and depuration of 14C benzene in norther anchovy, *Engraulis mordax*, and striped bass, *Morone saxitalis*. *Fish. Bull.* 74(3): 545-551.
- Koski, K V. 1992. Restoring stream habitats affected by logging activities. In G. Thayer (editor) Restoring the Nation's Coastal Environment, Univ. Maryland Sea Grant Proc. Symp. Habitat Restoration. NOAA, Washington, DC.
- Koski, K V., J. Heifetz, S. W. Johnson, M. L. Murphy, and J. F. Thedinga. 1985. Evaluation of buffer strips for protection of salmonid rearing habitat and implications for enhancement. In T. J. Hassler (editor), Proceedings: Pacific Northwest stream habitat management workshop, 10-12 October 1984, p. 138-155. Amer. Fish. Soc., Humboldt State University, Arcata, CA.
- Koski, K V. 1984. A stream ecosystem in an old-growth forest in Southeast Alaska Part I. Description and characteristics of Porcupine Creek, Etolin Island. Pages 47-55 in W. R. Meehan, T. R. Merrell, Jr., and T. A. Hanley (editors), Fish and Wildlife Relationships in Old-growth Forests: Proceedings of a Symposium held in Juneau, Alaska, 12-15 April 1982. American Institute of Fisheries Research Biologists.
- Koski, K V. and D. A. Kirchhofer. 1984. A stream ecosystem in an old-growth forest in Southeast Alaska Part IV. Food of juvenile coho salmon, *Oncorhynchus kisutch*, in relation to abundance of drift and benthos. Pages 81-87 in W. R. Meehan, T. R. Merrell, Jr., and T. A. Hanley (editors), Fish and Wildlife Relationships in Old-growth Forests: Proceedings of a Symposium held in Juneau, Alaska, 12-15 April 1982. American Institute of Fisheries Research Biologists.
- Lauren, D.J., and S.D. Rice. 1985. Significance of active and passive depuration in the clearance of naphthalene from the tissues of *Hemigrapsus nudus* (Crustacea: Decapoda). *Mar. Biol.* 88:135-142.
- Leder, E. H., T. C. Shirley and C. E. O'Clair. 1995. Male size and female reproduction in Dungeness crab in Glacier Bay, Alaska. In D.R. Engstrom ed., Proceedings of the Third Glacier Bay Science Symposium, 1993. U.S. Department of the Interior, National Park Service, Alaska Regional Office, Anchorage, Alaska. p 203-208.

Lorenz, J. M., M. L. Murphy, J. F. Thedinga, and K V. Koski. 1991. Distribution and abundance of juvenile salmon in two main channel habitats of the Taku River, Alaska and British Columbia. U.S. Dept. Commer., NOAA Tech. Memo. NMFS F/NWC-206. 16 p.

Love, D. C., A. Moles and R. E. Thomas. 1997. Bitter Crab Hemolymph Studies: Indications of Host Physiological Condition. pg. 549-562 In: Proceedings of the International Symposium on Biology, Management, and Economics of Crabs from High Latitude Waters

Love, D.C., S.D. Rice, D.A. Moles, and W.D. Eaton. 1993. Seasonal prevalence and intensity of Bitter Crab dinoflagellate infection and host mortality in Alaskan Tanner crabs *Chinoecetes bairdi* from Auke Bay, Alaska, USA. Dis. Aquat. Org. 15:33-46.

Marty, G. D., R. A. Heintz, and D. E. Hinton. 1997. Histology and teratology of pink salmon larvae near the time of emergence from gravel substrate in the laboratory. Canadian Journal of Zoology 75: 978-988.

Marty, G. D., J. W. Short, D.M. Dambach, N.H. Willits, R.A. Heintz, S.D. Rice, J.J. Stegeman, and D.E. Hinton. 1997. Ascites, premature emergence, increased gonadal cell apoptosis, and cytochrome P4501A induction in pink salmon larvae continuously exposed to oil-contaminated gravel during development. Canadian Journal of Zoology 75: 989-1007.

Maselko, J.M., A.C. Wertheimer, and J.F. Thedinga. 1999. Estimating probing behavior of pink salmon. Pgs 40-48 In: Proceedings of the 1999 Pink and Chum Salmon Workshop, National Marine Fisheries Service, Juneau, Alaska.

Mecklenburg, T.A., S.D. Rice, and J.F. Karinen. 1977. Molting and survival of king crab *Paralithodes camtschatica* and coonstripe shrimp *Pandalus hypsinotus* larvae exposed to Cook Inlet crude oil water-soluble fraction. In Fate and Effects of Petroleum Hydrocarbons in Marine Organisms and Ecosystems (Edited by D.A. Wolfe), pp. 221-228. Proceedings of a symposium. New York, Pergamon Press.

Merrell, T. R. 1988. Fisheries Resources. Pp. 203-224 in: Shaw, D. G. and M. J. Hameedi (eds.) Environmental Studies in Port Valdez, Alaska: a Basis for Management. Lecture Notes on Coastal and Estuarine Studies 24. Springer-Verlag, New York.

Merrell, T. R. and S. W. Johnson. 1987. Surveys of plastic litter on Alaskan beaches, 1985. U.S. Dep. Commer., NOAA Tech. Memo. NMFS F/NWC-116. 21 p.

Millstein, J. 1998. Observations of skin sloughing in the crested sculpin (*Blepsias bilobus*). Copeia 1998(3): 743-745.

Moles, A., L. Holland, and J. Short. Submitted. Effectiveness of Corexit 9527 and 9500 in dispersing fresh, weathered, and emulsion of Alaska North Slope crude oil under subarctic conditions. Spill Science and Technology Bulletin.

Moles, A. and R. Scott. In press. Growth and behavior of juvenile Alaskan flatfishes in the laboratory. Northwest Science. 75(5)

Moles, A.. 2001. Changing perspectives on oil toxicity evaluation. Pp. 435-439 In: Proceedings of the 2001 International Oil Spill Conference (Global Strategies for Prevention, Preparedness, Response, and Restoration). American Petroleum Institute Publication 14710, American Petroleum Institute, Washington DC.

Moles, A. and R. Scott. 2001. Effect of entry timing and salinity on overwintering growth of sockeye salmon fry in seawater. North Amrican Journal of Aquaculture 63: 222-228

Moles, A. and R. P. Stone. In press. Habitat preferences of juvenile crabs: substrate and crude oil. Proceedings of the 2001 Lowell Wakefield Symposium: Crabs in Cold Water Regions: Biology, Management, and Economics, Fairbanks, Alaska.

Moles, A. and T. L. Wade. 2001. Parasitism and Phagocytic Function among Sand Lance *Ammodytes hexapterus* Pallas Exposed to Crude Oil-Laden Sediments. Bulletin of Environmental Contamination and Toxicology 66(3): 528-535.

Moles, A.. 2000. A simple approach for selecting groundfish HAPC's. Proceedings of the Eleventh Annual Western Groundfish Conference, Alaska Department of Fish and Game, Sitka, Alaska.

Moles, A. and K. Jensen. 2000. Prevalence of the sockeye salmon brain parasite *Myxobolus arcticus* in selected Alaska streams. Alaska Fisheries Research Bulletin. 62(2): 85-93.

Moles, A. 1999. Parasitism, feeding rate and hydrocarbon uptake of pink shrimp *Pandalus borealis* fed a crude oil contaminated diet. Bulletin of Environmental Contamination and Toxicology 62 (3): 259-265.

Moles, A. 1998. Sensitivity of ten aquatic species to long-term crude oil exposure. Bulletin of Environmental Contamination and Toxicology 61: 102-107.

Moles, A. and J. Heifetz. 1998. Effects of the brain parasite *Myxobolus arcticus* (Protozoa, Myxozoa) on sockeye salmon. Journal of Fish Biology 52 (1): 146-151

Moles, A., J. Heifetz, and D. C. Love. 1998. Metazoan parasites as potential markers for selected Gulf of Alaska rockfishes. Fishery Bulletin (U.S.) 96(4): 912-916.

- Moles, A. and B. L. Norcross. 1998. Effects of oil-laden sediments on growth and health of juvenile flatfishes. Canadian Journal of Fisheries and Aquatic Sciences 55: 605-610.
- Moles, A.. 1997. Effect of bacterial kidney disease on saltwater adaptation of coho salmon smolts. Journal of Aquatic Animal Health 9: 230-233.
- Moles, A., S. Korn, and S. Rice. 1997. Effects of low winter temperatures and starvation on resistance to stress in presmolt coho salmon. American Fisheries Society Symposium 19:148-154.
- Moles, A. 1996. Effect of bacterial kidney disease on saltwater adaptation in coho salmon smolts. Pages 117-123 In Physiology of Migratory Fish. Proceedings of the International Congress on the Biology of Fishes. San Francisco State University.
- Moles, A. and B. Norcross. 1995. Sediment preference in juvenile Pacific flatfishes. Netherlands Journal of Sea Research 34:177-182.
- Moles, A., S. D. Rice and B. Norcross. 1994. Non-avoidance of hydrocarbon laden sediments by juvenile flatfishes. Netherlands Journal of Sea Research 32:361-367.
- Moles, A., S. D. Rice, and M. S. Okihiro. 1993. Herring parasite and tissue alterations following the *Exxon Valdez* oil spill. Pg 325-328 In: Proceedings of the 1993 International Oil Spill Conference, March 20 - April 1, 1993, Tampa, Florida.
- Moles, A., P. Rounds, and C. Kondzela. 1990. Use of the brain parasite *Myxobolus neurobius* in separating mixed stocks of sockeye salmon. Amer. Fish. Soc. Symp. 7: 224-231.
- Moles, A., P. Rounds, and S. Rice. 1989. Distribution of the brain parasite *Myxobolus* as possible stock marker in sockeye salmon of central Alaska. Workshop on Stock Separation Methods, February 14-16, 1989, Anchorage, Alaska
- Moles, A. 1987. Distribution of the brain parasite, *Myxobolus neurobius*, in sockeye salmon in southeastern Alaska and use of the parasite for stock identification. Proceedings of the Southeast Alaska Interdivisional Sockeye Salmon Program Review. Commercial Fisheries Division, Alaska Dept. Fish and Game.
- Moles, A., M.M. Babcock, and S.D. Rice. 1987. Effects of oil exposure on pink salmon *Oncorhynchus gorbuscha* alevins in a simulated intertidal environment. Mar. Environ. Res. 21:49-58.
- Moles, A., S.D. Rice, and S. Andrews. 1985. Continuous-flow devices for exposing marine organisms to the water-soluble fraction of crude oil and its components. Can. Tech. Rep. Fish. Aquat. Sci. 1368:53-61.

- Moles,A. and J. J. Pella. 1984. Effects of parasitism and temperature on salinity tolerance of kelp shrimp *Eualis suckleyi*. Trans. Amer. Fish. Soc. 113: 354-359.
- Moles, A. 1983. Effect of parasitism by mussel glochidia on growth of coho salmon. Trans. Amer. Fish. Soc. 112: 201-204.
- Moles, A., and S.D. Rice 1983. Effects of crude oil and naphthalene on growth, caloric content and fat content of pink salmon juveniles in seawater. Trans. Am. Fish. Soc. 112(2A):205-211.
- Moles, A. 1982. Parasite-host records of Alaskan fishes. NOAA Technical Report: NMFS SSRF-760, 41 p.
- Moles, A., S. Bates, S.D. Rice, and S. Korn. 1981. Reduced growth of coho salmon fry exposed to two petroleum components, toluene and naphthalene, in freshwater. Trans. Am. Fish. Soc. 110(3):430-436.
- Moles, A., S.D. Rice, and S. Korn. 1979. Sensitivity of Alaskan freshwater and anadromous fishes to Prudhoe Bay crude oil and benzene. Trans. Am. Fish. Soc. 108(4):408-414.
- Moles, D. A. 1977. Effect of parasitism by glochidia of *Anodonta oregonensis* Lea on the sensitivity of coho salmon fry *Oncorhynchus kisutch* Walbaum to the water-soluble fraction of Prudhoe Bay crude oil and the effect of crude oil on the development of the glochidium. M. S. Thesis. University of Alaska. Juneau, Alaska, 50 p.
- Morado, J. F., A. K. Sparks and C. E. O'Clair. 1988. A preliminary study of idiopathic lesions in the Dungeness crab, *Cancer magister*, from Rowan Bay, Alaska. Marine Environ. Res. 26:311-318.
- Mortensen, D.G. and M.G. Carls. 1995. Effects of crude oil injection on growth and microstructure of juvenile pink salmon (*Oncorhynchus gorbuscha*) otoliths. Pg. 197-209 in D.H. Secor, J.M. Dean, S.E. Campana, editors. Recent Developments in Fish Otolith Research, Belle W. Baruch Library in Marine Science Number 19, University of South Carolina Press.
- Mortensen, D.G. and M.G. Carls. 1994. Effects of crude oil injection on growth and microstructure of juvenile pink salmon (*Oncorhynchus gorbuscha*) otoliths. pg. 183 in Proceedings of the 16th Northeast Pacific Pink and Chum Salmon Workshop. Alaska SeaGrant College Program, University of Alaska, Fairbanks, Alaska. AK-SG-94-02.
- Murphy, M.L., R.A. Heintz, J.W. Short, S.D. Rice. in preparation. Recovery of pink salmon spawning after the Exxon Valdez oil spill.

- Murphy, M. L., S. W. Johnson, David J. Csepp. 2000. A Comparison of Fish Assemblages in Eelgrass and Adjacent Subtidal Habitats Near Craig, Alaska. Alaska Fishery Research Bulletin Vol 7:11–21.
- Murphy, M.L., R.A. Heintz, J.W. Short, Larsen, M.L., and S.D. Rice. 1999. Recovery of pink salmon spawning after the Exxon Valdez oil spill. Trans. Amer. Fish. Soc. 128:909-918.
- Murphy, M. L., and S. W. Johnson. 1999. Distribution of Salmon in Relation to Eelgrass during Seaward Migration. Proceedings of the 19th Northeast Pacific Pink and Chum Salmon Workshop, Juneau, AK, March 3-5, 1999.
- Murphy, M. L. 1998. Primary Production in R. E. Bilby and R. J. Naiman (editors) River Ecology and Management: Lessons from the Pacific Coastal Ecoregion. Springer-Verlag.
- Murphy, M.L., K.V. Koski, J.M. Lorenz, and J.F. Thedinga. 1997. Downstream migrations of juvenile Pacific salmon (*Oncorhynchus* spp.) in a glacial transboundary river. Canadian Journal of Fisheries and Aquatic Sciences 54: 2837-2846.
- Murphy, M. L., and A. M. Milner. 1997. Timber harvest and fish habitat. Pages 229-263 *In* A. M. Milner and M. W. Oswood (editors) Alaska Fresh Waters. Ecological Studies, Vol. 119. Springer-Verlag.
- Murphy, M. L. 1995. Forestry impacts on freshwater habitat of anadromous salmonids in the Pacific Northwest and Alaska--Requirements for protection and restoration. NOAA Coastal Ocean Program, Decision Analysis Series No. 7.
- Murphy, M. L., J. F. Thedinga, K V. Koski, S. W. Johnson, and J. M. Lorenz. 1992. Partitioning salmon smolt yield in the Situk River, Alaska, to predict effects of glacial flooding. In Idaho Water Resources Research Institute (eds.), Salmon management in the 21st century: recovering stocks in decline. Proceedings of the 1992 Northeast Pacific Workshop, Boise, ID, 28-30 September, 1992. Pp. 83-89.
- Murphy, M. L., and K. V. Koski. 1991. Reform of logging practices in Alaska. Pages 220-221 *In* B. White and I. Guthrie (editors) Proceedings of the 15th Northeast Pacific pink and chum salmon workshop. November 1991, Parksville, B.C. Canada.
- Murphy, M. L., J. M. Lorenz, and K V. Koski. 1991. Population estimates of juvenile salmon downstream migrants in the Taku River, Alaska. U.S. Dep. Commer., NOAA Tech. Memo. NMFS F/NWC-203. 27 p.
- Murphy, M. L., and W. R. Meehan. 1991. Stream ecosystems. Pages 17-46 *In* Influences of Forest and Rangeland Management on Salmonid Fishes and Their Habitats. Amer. Fish. Soc. Spcl. Publ. 19:17-46.

- Murphy, M. L., and 10 others. 1990. The fisheries submodel. Pages 46-63 *In* R. D. Fight, L. D. Garrett, and D. L. Weyermann (editors) SAMM: A prototype Southeast Alaska Multiresource model. USDA For. Serv. Gen. Tech. Rep. PNW-GTR-255.
- Murphy, M. L., J. Heifetz, J. F. Thedinga, S. W. Johnson, and K V. Koski. 1989. Habitat utilization by juvenile Pacific salmon (*Onchorhynchus*) in the glacial Taku River, southeast Alaska. *Can. J. Fish. Aquat. Sci.* 46:1677-1685.
- Murphy, M. L. and K V. Koski. 1989. Input and depletion of large woody debris in Alaska streams and implications for streamside management. *North American Journal of Fisheries Management* 9:427-436.
- Murphy, M. L., J. F. Thedinga, and K V. Koski. 1988. Size and diet of juvenile Pacific salmon during seaward migration through a small estuary in southeastern Alaska. *Fish. Bull.* 86:213-222.
- Murphy, M. L. 1987. Rearing densities and ecology of age-0 chinook salmon in the lower Taku River. *In* W. Heard (editor) Proceedings of the Alaska chinook salmon workshop, April 14-15, 1987, Juneau, AK.
- Murphy, M. L., J. M. Lorenz, J. Heifetz, J. F. Thedinga, K. V. Koski, and S. W. Johnson. 1987. The relationship between stream classification, fish, and habitat in Southeast Alaska. U.S. Dep. Agri., For. Serv., Wildl. Fish. Habitat Management Notes No. 12.
- Murphy, M. L., J. Heifetz, S. W. Johnson, K V. Koski, and J. F. Thedinga. 1986. Effects of clear-cut logging with and without buffer strips on juvenile salmonids in Alaskan streams. *Canadian Journal of Fisheries and Aquatic Sciences* 43(8):1521-1533.
- Murphy, M. L., K V. Koski, J. Heifetz, S. W. Johnson, D. Kirchhofer, and J. F. Thedinga. 1985. Role of large organic debris as winter habitat for juvenile salmonids in Alaska streams. In Western proceedings, 64th annual conference of the western association of fish and wildlife agencies, 16-19 July, 1984, Victoria, British Columbia.
- Murphy, M. L. 1985. Die-offs of pre-spawn adult pink salmon and chum salmon in southeastern Alaska. *North American Journal of Fisheries Management* 5:302-308.
- Murphy, M. L. 1984. Primary production and grazing in freshwater and intertidal reaches of a coastal stream, Southeast Alaska. *Limnology and Oceanography* 29(4):805-815.

- Murphy, M. L., J. F. Thedinga, K V. Koski, and G. B. Grette. 1984. A stream ecosystem in an old-growth forest in Southeast Alaska Part V: Seasonal changes in habitat utilization by juvenile salmonids. Pages 89-98 in W. R. Meehan, T. R. Merrell, Jr., and T. A. Hanley (editors), Fish and Wildlife Relationships in Old-growth Forests: Proceedings of a Symposium held in Juneau, Alaska, 12-15 April 1982. American Institute of Fisheries Research Biologists.
- Murphy, M. L., and J. D. Hall. 1981. Varied effects of clear-cut logging on predators and their habitat in small streams of the Cascade Mountains, Oregon. Canadian Journal of Fisheries and Aquatic Sciences 38:137-145.
- Murphy, M. L., C. P. Hawkins, and N. H. Anderson. 1981. Effects of canopy modification and accumulated sediment on stream communities. Transactions of the American Fisheries Society 110:469-478.
- Myren, R. T., and R. J. Ellis. 1984. Evapotranspiration in forest succession and long-term effects upon fishery resources: a consideration for management of old-growth forests. Pages 183-186 In W. R. Meehan, T. R. Merrell, Jr., and T. A. Hanley, editors. Fish and Wildlife Relationships in Old-Growth Forests. Proceedings of a Symposium. American Institute of Fishery Research Biologists. Available J. W. Reintjes, Rt. 4, Box 85, Morehead City, North Carolina 28557.
- Myren, R. T. And J. J. Pella. 1977. Natural variability in distribution of an intertidal population of *Macoma balthica* subject of potential oil pollution at Port Valdez, Alaska. Mar. Biol. 41(4): 371-382.
- O'Clair, C. E., T. C. Shirley and S. J. Taggart. 1996. Dispersion of adult *Cancer magister* at Glacier Bay, Alaska: variation with spatial scale, sex and reproductive status. Pages 209-227 In High Latitude Crabs: Biology, Management, and Economics. Alaska Sea Grant College Program Report No. 96-02, University of Alaska Fairbanks.
- O'Clair, C. E., J. W. .Short, and S.D. Rice. 1996. Contamination of intertidal and subtidal sediments by oil from the *Exxon Valdez* in Prince William Sound. Pages 61-93 in Rice, S. D., R. B. Spies, D. A. Wolfe, and B. A. Wright (eds). Proceedings of the *Exxon Valdez* Oil Spill Symposium. American Fisheries Society Symposium 18. American Fisheries Society, Bethesda, Maryland
- O'Clair, C. E., J. L. Freese, R. P. Stone, T. C. Shirley, E. H. Leder, S. J. Taggart and G. H. Kruse. 1995. Nearshore distribution and abundance of Dungeness crabs in Glacier Bay National Park, Alaska. In D.R. Engstrom ed., Proceedings of the Third Glacier Bay Science Symposium, 1993. U.S. Department of the Interior, National Park Service, Alaska Regional Office, Anchorage, Alaska. p 196-202

- O'Clair, C. E., R. P. Stone and J. L. Freese. 1990. Movements and habitat use of Dungeness crabs and the Glacier Bay Fishery. In: Milner, A. M. and J. D. Wood. Proceedings of the Second Glacier Bay Science Symposium: September 19-22, 1988. Gustavus, Alaska. U.S. Department of the Interior, National Park Service, Alaska Regional Office, Anchorage, Alaska. pp. 74-77.
- O'Clair, C. E. and J. L. Freese. 1988. Reproductive condition of Dungeness crabs, *Cancer magister*, at or near Log Transfer Facilities in Southeastern Alaska. Marine Environ. Res. 26:57-81.
- O'Clair, C. E. and S. T. Zimmerman. 1987. Biogeography and ecology of intertidal and shallow subtidal communities. In: The Gulf of Alaska: Physical Environment and Biological Resources. D. W. Hood and S. T. Zimmerman, Eds. National Technical Information Service, Springfield, Virginia. pp. 305-344.
- O'Clair, C.E., and S.D. Rice. 1985. Depression of feeding and growth rates of the seastar *Easterias troschelii* during long-term exposure to the water-soluble fraction of crude oil. Mar. Biol. 84(3):331-340.
- O'Clair, C. E. 1981. Disturbance and diversity in a boreal marine community: the role of intertidal scouring by sea ice. In The Eastern Bering Sea Shelf: Oceanography and Resources, Vol. 2. D. W. Hood and J. A. Calder, Eds. University of Washington Press, Seattle. pp. 1105-1130.
- Orsi, J.A. and J.W. Short. 1987. Modifications in electrical anesthesia for salmonids. Prog. Fish. Cult. 49: 144-146.
- Pella, J., M. Masuda, C. Guthrie III, C. Kondzela, A. Gharrett, A. Moles, and G. Winans. 1998. Stock Composition of some sockeye salmon, *Oncorhynchus nerka*, catches in southeast Alaska, based on incidence of allozyme variants, freshwater ages, and a brain-tissue parasite. NOAA Technical Report NMFS 132.
- Pella, J. J., and R. T. Myren. 1974. Caveats concerning evaluation of effects of logging on salmon production in southeastern Alaska from biological information. Northwest Science 48:132-144.
- Ribic, C. A., S. W. Johnson, and C. A. Cole. 1997. Distribution, type, accumulation, and source of marine debris in the United States, 1989-93. In Coe, J. M. and D. B. Rodgers (eds.), Marine Debris: Sources, Impacts, and Solutions. Springer-Verlag, New York, Inc. Pp. 35-47.

Ribic, C. A. and S. W. Johnson. 1990. Guidelines for the design of beach debris surveys. In R. S. Shomura and M. L. Godfrey (editors), Proceedings of the second international conference on marine debris, 2-7 April 1989, Honolulu, HI, p. 392-402. U.S. Dep. Commer., NOAA Tech. Memo. NMFS SWFSC-154.

Rice, S. D., J. W. Short, R. A. Heintz, M. G. Carls, and A. Moles. Submitted. Life history consequences of oil pollution in fish natal habitat. Energy Sources

Rice, S. D., J. Short, R. Heintz. 2001. Oil and gas issues in Alaska: Lessons learned about long-term toxicity following the *Exxon Valdez* oil spill. Proceeding of the Oil and Gas Workshop. Pp. 91-97 In: Exploring the Future of Offshore Oil and Gas Developement in BC: Lessons from the Atlantic. Continuing studies in science at Simon Fraser University, Burnaby, British Columbia, Canada.

Rice, S. D. , R. E. Thomas, R. A. Heintz, A. C. Wertheimer, M. L. Murphy, M. G. Carls, J. W. Short, and Adam Moles. 2001. Impacts to pink salmon following the *Exxon Valdez* oil spill: persistence, toxicity, sensitivity, and controversy. Reviews in Fishery Science 9 (3): 165-211.

Rice, S. D., J. W. Short, R. A. Heintz, M. G. Carls, and A. Moles. 2000. Life history consequences of oil pollution in fish natal habitat. Pp. 1210-1215 In: Peter Catania (ed.), Energy 2000: The Beginning of a New Millennium. Technomic Publishing Co., Lancaster, England.

Rice, S.D., R.B. Spies, D.A. Wolfe, and B.A. Wright (editors). 1996. Proceedings of the Exxon Valdez Oil Spill Symposium. American Fisheries Society Symposium 18, Bethesda, Maryland

Rice, S., R. Thomas, and A. Moles. 1994. Physiological and growth differences in three stocks of underyearling sockeye salmon (*Oncorhynchus nerka*) on early entry into seawater. Can. J. Fish. and Aquat. Sci. 51:974-980.

Rice, S.D., and A. Moles. 1991. Humpies and hydrocarbons: relating laboratory effects studies to potential effects from the *Exxon Valdez* oil spill. Proceedings of the 15th Northeast Pacific Pink and Chum Salmon Workshop, pp. 153-157. February 27 - March 1, 1991, Parksville, B.C.

Rice, S.D., and M.M. Babcock. 1990. Effects of habitat and environmental variables on red king crabs and settling of glaucothoe. In Proceedings of the Gulf of Alaska, Cook Inlet, and North Aleutian Basin Information Uptake Meeting, pp. 49-55. Outer Continental Shelf Environmental Assessment Program Study MMs 89-0041.

- Rice, S.D., and R.E. Thomas. 1990. Effect of pre-treatments of toluene or naphthalene on the tolerance of pink salmon *Oncorhynchus gorbuscha* and kelp shrimp *Eualus suckleyi*. Comp. Biochem. Physiol. 94C(1):289-293.
- Rice, S.D., M.M. Babcock, C.C. Brodersen, M.G. Carls, J.A. Gharrett, S. Korn, A. Moles, and J. Short. 1987. Lethal and sublethal effects of the water-soluble fraction of Cook Inlet crude oil on Pacific herring *Clupea harengus pallasi* reproduction. U.S. Dep. Commer., NOAA Tech. Memo. NMFS F/NWC-111, 63 p.
- Rice, S.D., M.M. Babcock, C.C. Brodersen, J.A. Gharrett, and S. Korn. 1987. Uptake and depuration of aromatic hydrocarbons by reproductively ripe pacific herring and the subsequent effect of residues on egg hatching and survival. In *Pollution and Physiology of Estuarine Organisms* (Edited by W.B. Vernberg, A. Calabrese, F.P. Thurberg, and F.J. Vernberg), pp. 139-154. Belle W. Baruch Libr. Mar. Sci. 17, University of South Carolina Press, Columbia.
- Rice, S. D. 1985. Alaska's habitats. Fisheries and oil: facts and figures. Alaska Fish and Game 18(6): 34-37.
- Rice, S.D. 1985. Effect of oil on fish. In *Petroleum Effects in the Arctic Environment* (Edited by F.R. Engelhardt), pp. 157-182. Applied Science Publishers Ltd., London. 281 pp.
- Rice, S.D. 1985. Fisheries and oil; Facts and figures. Alaska Fish and Game, Nov-Dec, p. 34-37.
- Rice, S.D., C. Brodersen, and P.J. Arasmith. 1985. Feeding rates, molting success, and survival of juvenile red king crabs at different temperatures. pp. 187-191. In *Proceedings of the International King Crab Symp.*, Anchorage, AK.
- Rice, S.D., D.A. Moles, J.F. Karinen, S. Korn, M.G. Carls, C.C. Brodersen, J.A. Gharrett, and M.M. Babcock. 1984. Effects of petroleum hydrocarbons on Alaskan aquatic organisms: A comprehensive review of all oil-effects research on Alaskan fish and invertebrates conducted by the Auke Bay Laboratory, 1970-81. U.S. Dept. Commerce, NOAA Technical Memorandum NMFS F/NWC-67. 128 p.
- Rice, S.D., S. Korn, C.C. Brodersen, S.A. Lindsay, and S.A. Andrews. 1981. Toxicity of ballast-water treatment effluent to marine organism at Port Valdez, Alaska. In API, EPA, and USCG, 1981 Oil Spill Conference, pp. 55-61. Proceedings of a symposium, March 2-5, 1981, Atlanta, Georgia. American Petroleum Institute, Washington D.C.
- Rice, S.D., and J.E. Bailey. 1980. Ammonia concentrations in pink salmon *Oncorhynchus gorbuscha* redds of Sashin Creek, southeastern Alaska. Fish. Bull. 78(3):809-811.

- Rice, S.D., and J. E. Bailey. 1980. Survival, size and emergence of pink salmon *Oncorhynchus gorbuscha* alevins after short- and long-term exposures to ammonia. Fish. Bull. 78(3):641-648.
- Rice, S.D., D.A. Moles, T.L. Taylor, and J.F. Karinen. 1979. Sensitivity of 39 Alaskan marine species to Cook Inlet crude oil and No. 2 fuel oil. In API, EPA, and USCG, 1979 Oil Spill Conference (Prevention, Behavior, Control, Cleanup), pp. 549-554. Proceedings of a symposium. American Petroleum Institute, Washington, D.C..
- Rice, S.D. 1977. A review of oil toxicity studies conducted at the Auke Bay Laboratory. In Oil and Aquatic Ecosystems, Tanker Safety, and Oil Pollution Liability, (Edited by B. Melteff), pp. 111-113. Proceedings of a symposium. University of Alaska Fairbanks.
- Rice, S.D., J.W. Short, and J.F. Karinen. 1977. Comparative oil toxicity and comparative animal sensitivity. In Fate and Effects of Petroleum Hydrocarbons in Marine Organisms and Ecosystems (Edited by D.A. Wolfe), pp. 78-94. Proceedings of a symposium. New York, Pergamon Press.
- Rice, S.D., R.E. Thomas, and J.W. Short. 1977. Effect of petroleum hydrocarbons on breathing and coughing rates and hydrocarbon uptake-depuration in pink salmon fry. In Physiological Responses of Marine Biota to Pollutants (Edited by F.J. Vernberg, A. Calabrese, F.P. Thurberg, and W.B. Vernberg), pp. 259-277. Academic Press Inc., New York. 462 p.
- Rice, S.D., J.W. Short, C.C. Brodersen, T.A. Mecklenburg, D.A. Moles, C.J. Misch, D.L. Cheatham, and J.F. Karinen. 1976. Acute toxicity and uptake-depuration studies with Cook Inlet crude oil, Prudhoe Bay crude oil, No. 2 fuel oil and several subarctic marine organisms. Natl. Mar. Fish. Serv., Proc. Rep., May 1976.
- Rice, S.D., J.W. Short, and J.F. Karinen. 1976. Toxicity of Cook Inlet crude oil and No. 2 fuel oil to several Alaskan marine fishes and invertebrates. In ERDA, EPA, ELM, and API, Sources, Effects and Sinks of Hydrocarbons in the Aquatic Environment, Proceedings, pp. 395-406. Washington, D.C., American Institute of Biological Sciences, 578 p.
- Rice, S.D., D.A. Moles, and J.W. Short. 1975. The effect of Prudhoe Bay crude oil on survival and growth of eggs, alevins, and fry of pink salmon *Oncorhynchus gorbuscha*. In Proceedings of the 1975 Conference on Prevention and Control of Oil Pollution, pp. 503-507. American Petroleum Institute, Environmental Protection Agency, and U.S. Coast Guard, San Francisco.
- Rice, S.D., and R.M. Stokes. 1975. Acute toxicity of ammonia to several developmental stages of rainbow trout *Salmo gairdneri*. Fish. Bull., U.S. 73(1):207-211.

Rice, S.D., and R.M. Stokes. 1974. Metabolism of nitrogenous wastes in the eggs and alevins of rainbow trout *Salmo gairdneri Richardson*. In The Early life History of Fish (Edited by J.H.S. Blaxter), pp. 325-337. Proceedings of an international symposium held at the Dunstaffnage Marine Research Laboratory of the Scottish Marine Biological Association at Oban, Scotland. Springer-Verlag, New York.

Rice, S.D. 1973. Toxicity and avoidance tests with Prudhoe Bay oil and pink salmon fry. In Proceedings of the Joint Conference on Prevention and Control of Oil Spills, pp. 667-670. American Petroleum Institute, Environmental Protection Agency, and U.S. Coast Guard, Washington, D.C.

Rice, S.D. 1971. A study of nitrogen waste product metabolism in the eggs and fry of rainbow trout *Salmo gairdneri*. Ph.D. Thesis, Kent State University, Kent, Ohio.

Rounds, P. M., C. Brodersen, and M. M. Babcock. 1990. Effects of cohort density and habitat on survival and growth of juvenile red king crab, *Paralithodes camtschatica*. Pp. 209-217 In: Proc. Int. Symp. King and Tanner Crabs, Anchorage, Alaska. Alaska Sea Grant College Program Report No. 90-94.

Schultz D. A., T. C. Shirley, C. E. O'Clair, and S. J. Taggart. 1996. Activity and feeding of ovigerous Dungeness crabs in Glacier Bay, Alaska. Pages 411-424 In High Latitude Crabs: Biology, Management, and Economics. Alaska Sea Grant College Program Report No. 96-02, University of Alaska Fairbanks.

Schwartz, J.P. 1985. Effect of oil-contaminated prey on the feeding and growth rate of pink salmon fry (*Oncorhynchus gorbuscha*). Pp. 459-476 In: Vernberg, J. F., F. P. Thurburg, A. Calabrese, and W. B. Vernberg (eds.). Marine Pollution and Physiology: Recent Advances. Belle W. Baruch Libr. Mar. Sci. 13, University of South Carolina Press, Columbia, S.C.

Schwartz, J. P. 1984. The effects of oil-contaminated prey on the feeding, growth, and related energetics of pink salmon *Oncorhynchus gorbuscha* Walbaum fry. Ph. D. Thesis, University of Alaska Fairbanks, Fairbanks, Alaska. 99 p.

Sheridan, W. L., M. P. Perenovich, T. Faris, and K Koski. 1984. Sediment content of streambed gravels in some pink salmon spawning streams in Alaska. Pages 153-165 in W. R. Meehan, T. R. Merrell, Jr., and T. A. Hanley, editors. Fish and Wildlife Relationships in Old-Growth Forests. Proceedings of a Symposium. American Institute of Fishery Research Biologists. Available J. W. Reintjes, Rt. 4, Box 85, Morehead City, North Carolina 28557.

- Shirley, T. C., C. E. O'Clair, S. J. Taggart and J. Bodkin. 1996. Sea otter predation on Dungeness crabs in Glacier Bay, Alaska. Pages 563-576 *In* High Latitude Crabs: Biology, Management, and Economics. Alaska Sea Grant College Program Report No. 96-02, University of Alaska Fairbanks.
- Shirley, T. C., D. A. Woodby, S. Zhou, and C. E. O'Clair. 1993. Population estimation of red king crabs in a fjord in southeast Alaska: a comparison of methods. P. 46 in American Fisheries Society, 123rd Annual Meeting, (Abstract).
- Shirley, T. C., S. M. Shirley, and S. Korn. 1990. Incubation period, molting, and growth of female red king crabs: effects of temperature. Pp. 51-63 *In:* Proc. Int. Symp. King and Tanner Crabs, Anchorage, Alaska. Alaska Sea Grant College Program Report No. 90-94.
- Shirley, S.M., T.C. Shirley, and S.D. Rice. 1987. Latitudinal variation in the Dungeness crab *Cancer magister*: zoeal morphology explained by incubation temperature. Mar. Biol. 95(3):371-376.
- Short, J.W., K.A. Kvenvolden, P.R. Carlson, F.D. Hostettler, R.J. Rosenbauer, and B.A. Wright. 1999. The natural hydrocarbon background in benthic sediments of Prince William Sound, Alaska: oil vs. coal. Environ. Sci. Tech. 33: 34-42.
- Short, J.W., K.A. Kvenvolden, P.R. Carlson, F.D. Hostettler, R.J. Rosenbauer, and B.A. Wright. 1998. The natural hydrocarbon background in benthic sediments of Prince William Sound, Alaska: oil vs. coal. Environ. Sci. Tech. ????????
- Short, J. W. and R. A. Heintz. 1997. Identification of *Exxon Valdez* oil in sediments and tissues from Prince William Sound and the Northwestern Gulf of Alaska based on PAH weathering. Environmental Science and Technology 31: 2375-2384.
- Short, J.W. and M.M. Babcock. 1996. Prespill and postspill concentrations of hydrocarbons in mussels and sediments in Prince William Sound. Pages 149-166 *in* Rice, S. D., R. B. Spies, D. A. Wolfe, and B. A. Wright (eds). Proceedings of the *Exxon Valdez* Oil Spill Symposium. American Fisheries Society Symposium 18. American Fisheries Society, Bethesda, Maryland.
- Short, J.W. and P.M. Harris. 1996. Chemical sampling and analysis of petroleum hydrocarbons in near-surface seawater of Prince William Sound after the *Exxon Valdez* oil spill. Pages 17-28 *in* Rice, S. D., R. B. Spies, D. A. Wolfe, and B. A. Wright (eds). Proceedings of the *Exxon Valdez* Oil Spill Symposium. American Fisheries Society Symposium 18. American Fisheries Society, Bethesda, Maryland.

- Short, J.W. and P.M. Harris. 1996. Petroleum hydrocarbons in caged mussels deployed in Prince William Sound after the *Exxon Valdez* oil spill. Pages 29-39 in Rice, S. D., R. B. Spies, D. A. Wolfe, and B. A. Wright (eds). Proceedings of the *Exxon Valdez* Oil Spill Symposium. American Fisheries Society Symposium 18. American Fisheries Society, Bethesda, Maryland.
- Short, J.W., T.J. Jackson, M.L. Larsen, and T.L. Wade. 1996. Analytical methods used for the analysis of hydrocarbons in crude oil, tissues, sediments, and seawater collected for the Natural Resources Damage Assessment of the *Exxon Valdez* oil spill. Pages 140-148 in Rice, S. D., R. B. Spies, D. A. Wolfe, and B. A. Wright (eds). Proceedings of the *Exxon Valdez* Oil Spill Symposium. American Fisheries Society Symposium 18. American Fisheries Society, Bethesda, Maryland.
- Short, J.W., D.M. Sale, and J.C. Gibeaut. 1996. Nearshore transport of hydrocarbons and sediments after the *Exxon Valdez* oil spill. Pages 40-60 in Rice, S. D., R. B. Spies, D. A. Wolfe, and B. A. Wright (eds). Proceedings of the *Exxon Valdez* Oil Spill Symposium. American Fisheries Society Symposium 18. American Fisheries Society, Bethesda, Maryland.
- Short, J.W., S.D. Rice, C.C. Brodersen, and W.B. Stickle. 1989. Occurrence of tri-n-butyltin caused impossex in the North Pacific marine snail *Nucella lima* in Auke Bay, Alaska. Mar. Biol. 102: 291-297
- Short, J.W. and J.L. Sharp. 1989. Tributyltin in bay mussels (*Mytilus edulis*) of the Pacific coast of the United States. Environ. Sci. Technol. 23(6): 740-743.
- Short, J.W. 1988. Evaluation of Fourier transformed infrared spectrophotometry as a method for separating stocks-preliminary study. In: G. Gunstrom (ed.) Southeast Alaska Regional Coho Salmon Program Review. Alaska Dept. of Fish and Game, Juneau, Ak.
- Short, J.W. 1987. Measuring tri-n-butyltin in salmon by atomic absorption: analysis with and without gas chromatography. Bull. Environ. Contam. Toxicol. 39: 412-416.
- Short, J.W. and F.P. Thrower. 1987. Toxicity of tri-n-butyltin to chinook salmon, *Oncorhynchus tshawytscha*, adapted to seawater. Aquaculture 61: 193-200.
- Short, J.W. and F.P. Thrower. 1986. Accumulation of butyltins in muscle tissue of chinook salmon reared in sea pens treated with tri-n-butyltin. Mar. Pollut. Bull. 17: 542-545.
- Short, J.W. and F.P. Thrower. 1986. Tri-n-butyltin caused mortality of chinook salmon, *Oncorhynchus tshawytscha*, on transfer to a TBT-treated marine net pen. Pages 1202-1205 in: Oceans 86 conference record. IEEE Service Center, 445 Hoes Lane, Piscataway, NJ.

- Short, J.W., S.D. Rice, and D.L. Cheatham. 1976. Comparison of two methods for oil and grease determination. In *Assessment of the Arctic Marine Environment: Selected topics* (Edited by D.W. Hood and D. C. Burrell). Institute of Marine Science, University of Alaska, Fairbanks.
- Spies, R.B., S.D. Rice, D.A. Wolfe, and B.A. Wright. 1996. The effects of the *Exxon Valdez* oil spill on the Alaskan coastal environment. Pages 1-16 in Rice, S. D., R. B. Spies, D. A. Wolfe, and B. A. Wright (eds). *Proceedings of the Exxon Valdez Oil Spill Symposium*. American Fisheries Society Symposium 18. American Fisheries Society, Bethesda, Maryland
- Stickle, W.B., J.L. Sharp-Dahl, S.D. Rice, and J.W. Short. 1990. Imposex induction in *Nucella lima* (Gmelin) via mode of exposure to tributyltin. *J. Exp. Mar. Biol. Ecol.* 143: 165-180.
- Stickle, W.B., M.A. Kapper, T.C. Shirley, M.G. Carls, and S.D. Rice. 1987. Bioenergetics and tolerance of the pink shrimp *Pandalus borealis* during long-term exposure to the water soluble fraction and oil sediment from Cook Inlet crude oil. In *Pollution and Physiology of Estuarine Organisms* (Edited by W.B. Vernberg, A. Calabrese, F.P. Thurberg, and F.J. Vernberg), pp. 87-106. Belle W. Baruch Libr. Mar. Sci. 17, University of South Carolina Press, Columbia.
- Stickle, W.B., S.D. Rice, C. Villars, and W. Metcalf. 1985. Bioenergetics and survival of the marine mussel *Mytilus edulis L.*, during long-term exposure to the water-soluble fraction of Cook Inlet crude oil. In *Pollution and Physiology of Marine Organisms* (Edited by W.B. Vernberg, A. Calabrese, F.P. Thurberg, and F.G. Vernberg), pp. 427-446. Belle W. Baruch Libr. Mar. Sci. 16, University of South Carolina Press, Columbia. 545 pp.
- Stickle, W.B., S.D. Rice, and A. Moles. 1984. Bioenergetics and survival of the marine snail *Thais lima* during long-term oil exposure. *Mar. Biol.* 80(3):281-289.
- Stickle, W.B., T.D. Sabourin, and S.D. Rice. 1982. Sensitivity and osmoregulation of coho salmon *Oncorhynchus kisutch* exposed to toluene and naphthalene at different salinities. In *Physiological Mechanisms of Marine Pollutant Toxicity* (Edited by W.B. Vernberg, A. Calabrese, F.P. Thurberg, and F.J. Vernberg), pp. 331-348. Academic Press, Inc., New York. 564 p.
- Stone, R. P., and C. E. O’Claire. 2001 Seasonal movements and distribution of Dungeness crabs *Cancer magister* in a glacial southeastern Alaskan estuary. *Mar. Ecol. Progr. Ser.* 214:167-176
- Stone, R. P. and S. W. Johnson. 1998. Prolonged exposure to mine tailings and survival and reproductive success of ovigerous Tanner crabs (*Chionoecetes bairdi*). *Bull. Environ. Contam. Toxicol.* 61: 548-556.

Stone, R. P. and S. W. Johnson. 1997. Survival, growth, and bioaccumulation of heavy metals by juvenile Tanner crabs (*Chionoecetes bairdi*) held on weathered mine tailings. Bull. Environ. Contam. Toxicol. 58:830-837.

Stone, R. P., C. E. O'Clair and T. C. Shirley. 1993. Aggregating behavior of ovigerous female red king crabs, *Paralithodes camtschaticus*, in Auke Bay, Alaska. Can. J. Fisheries Aquat. Sci. 50(4):750-758.

Stone, R. P., C. E. O'Clair and T. C. Shirley. 1992. Seasonal migration and distribution of female red king crabs in a southeast Alaskan estuary. J. Crust. Biol. 12(4):546-560.

Stone, R. P. and C. E. O'Clair. 1990. Seasonal migration of primiparous and multiparous female red king crabs (*Paralithodes camtschatica*). Pp. 189-191 In: Proc. Int. Symp. King and Tanner Crabs. Anchorage, Alaska. Alaska Sea Grant College Program Report No. 90-94.

Sturdevant, M. V., A. C. Wertheimer, and J. L. Lum. 1996. Diets of juvenile pink and chum salmon in oiled and non-oiled nearshore habitats in Prince William Sound, 1989 and 1990. Pages 578-592 in Rice, S. D., R. B. Spies, D. A. Wolfe, and B. A. Wright (eds). Proceedings of the *Exxon Valdez Oil Spill Symposium*. American Fisheries Society Symposium 18. American Fisheries Society, Bethesda, Maryland

Sturdevant, M. V., A. C. Wertheimer, and J. L. Lum. 1994. Diets of juvenile pink and chum salmon in oiled and non-oiled nearshore habitats in Prince William Sound, 1989 and 1990. pg. 177 in Proceedings of the 16th Northeast Pacific Pink and Chum Salmon Workshop. Alaska SeaGrant College Program, University of Alaska, Fairbanks, Alaska. AK-SG-94-02.

Sturdevant, M., A. Celewycz, M. Pritchett, and A. Wertheimer. 1991. Distribution, size, and feeding habits of juvenile pink salmon in nearshore habitats of northwestern Prince William Sound. pg. 63-76 in: Proceedings of the 15th Northeast Pacific Pink and Chum Salmon Workshop, November, 1991, Parksville, British Columbia, Pacific Salmon Commission, Vancouver, British Columbia.

Tarbox, K., A. Moles, and D. Waltmeyer. 1991. Presence of parasites in sockeye salmon of Upper Cook Inlet, Alaska. Alaska Dept. Fish and Game Regional Information Report 2S91-5.

Taylor, T. L. and J. F. Karinen. 1977. Response of the clam, *Macoma balthica* (Linnaeus), exposed to Prudhoe Bay crude oil as unmixed oil, water-soluble fraction, and oil-contaminated sediment in the laboratory. Pp. 229-237 In *Fate and Effects of Petroleum Hydrocarbons in Marine Organisms and Ecosystems* (Edited by D.A. Wolfe), pp. 78-94. Proceedings of a symposium. New York, Pergamon Press.

Thedinga, J. F., A. C. Wertheimer, R. A. Heintz, J. M. Maselko, and S.D. Rice. In Press. Effects of Stock, tagging, and transport, on straying of pink salmon in southeast Alaska. Can. J. Fish. Aquat. Sci.

Thedinga, J.F., A.C. Wertheimer, R.A. Heintz, J.M. Maselko, and S.D. Rice. 2000. Effects of stock, tagging, and transport, on straying of pink salmon in southeast Alaska. Can. J. Fish. Aquat. Sci. 57:1-10.

Thedinga, J. F. and S. W. Johnson. 1999. Age and marine survival of ocean-type chinook salmon (*Oncorhynchus tshawytscha*) from the Situk River, Alaska. Alaska Fishery Research Bulletin. 5(2): 143-148.

Thedinga, J.F., A.C. Wertheimer, R.A. Heintz, J.M. Maselko, and S.D. Rice. 1999. Effects of oil and other factors on straying of pink salmon *Oncorhynchus gorbuscha* in southeast Alaska. Pg. 35-39 In: Proceedings of the 1999 Pink and Chum Salmon Workshop, National Marine Fisheries Service, Juneau, Alaska.

Thedinga, J. F., A. Moles, and J. T. Fujioka. 1997. Mark retention and growth of jet-injected juvenile marine fish. Fishery Bulletin 95: 629-633

Thedinga J. F. and S. W. Johnson. 1995. Retention of jet-injected marks on juvenile coho and sockeye salmon. Trans. Amer. Fish. Soc. 124:782-785.

Thedinga, J. F., M. L. Murphy, S. W. Johnson, J. M. Lorenz, and K V. Koski. 1994. Determination of salmonid smolt yield with rotary-screw traps in the Situk River, Alaska, to predict effects of glacial flooding. N. Amer. J. Fish. Mgmt. 14:837-851.

Thedinga, J. F., S. W. Johnson, K V. Koski, and A. S. Feldhausen. 1991. Downstream migration of juvenile salmonids in Old Situk River, southeast Alaska. U.S. Dep. Commer., NOAA Tech. Memo. NMFS F/NWC-199. 26 p.

Thedinga, J. F., M. L. Murphy, J. Heifetz, K V. Koski, and S. W. Johnson. 1989. Effects of logging on size and age composition of juvenile coho salmon (*Oncorhynchus kisutch*) and density of presmolt in Southeast Alaska streams. Canadian Journal of Fisheries and Aquatic Sciences 46:1383-1391.

Thedinga, J. F., K V. Koski, M. L. Murphy, J. Heifetz, S. W. Johnson, and C. R. Hawkes. 1988. Abundance and distribution of juvenile coho salmon (*Oncorhynchus kisutch*) in the lower Taku River, Alaska. In G. Gunstrom (editor), Southeast Alaska regional coho salmon program review. ADF&G, Divisions of Commercial and Sport Fish, Douglas, AK.

Thedinga, J. F., and K V. Koski. 1984. A stream ecosystem in an old-growth forest in Southeast Alaska Part VI: The production of coho salmon, *Oncorhynchus kisutch*, smolts and adults from Porcupine Creek. Pages 99-108 in W. R. Meehan, T. R. Merrell, Jr., and T. A. Hanley (editors), Fish and Wildlife Relationships in Old-growth Forests: Proceedings of a Symposium held in Juneau, Alaska, 12-15 April 1982. American Institute of Fisheries Research Biologists.

Thomas, R.E., C. C. Brodersen, Babcock, M.M., M.G. Carls and S.D. Rice. 1999. Lack of physiological responses to hydrocarbon accumulation by *Mytilus trossulus* after three to four year chronic exposure to spilled Exxon Valdez crude oil in Prince William Sound. Comp. Biochem. Physiol. 122C (1): 153-163.

Thomas, R.E., P. Harris, and S.D. Rice. 1999. Survival in air of *Mytilus trossulus* following longterm chronic exposure to spilled Exxon Valdez crude oil in Prince William Sound. Comp. Biochem. Physiol. 122C (1): 147-152.

Thomas, R. E., M. G. Carls, S. D. Rice, and L. Shagrun. 1997. Mixed function oxidase induction in pre- and post-spawn herring (*Clupea pallasii*) by petroleum hydrocarbons. Comparative Biochemistry and Physiology 116C (2): 141-147.

Thomas, R.E., and S.D. Rice. Realization of Salinity tolerance in Coho Salmon. In: Biology and Physiology of Fishes in Cold Regions. Ed. R. E. Barton. Academic Press, London. 1984. pp. 428-437.

Thomas, R.E., and S.D. Rice. 1987. Effect of water-soluble fraction of Cook Inlet crude oil on swimming performance and plasma cortisol in juvenile coho salmon *Oncorhynchus kisutch*. Comp. Biochem. Physiol. 87C(1):177-180.

Thomas, R.E., S.D. Rice, and S. Korn. 1987. Reduced swimming performance of juvenile coho salmon *Oncorhynchus kisutch* exposed to the water-soluble fraction of Cook Inlet crude oil. In Pollution and Physiology of Estuarine Organisms (Edited by W.B. Vernberg, A. Calabrese, F.P. Thurberg, and F.J. Vernberg), pp. 127-137. Belle W. Baruch Libr. Mar. Sci. 17, University of South Carolina, Columbia.

Thomas, R. E., J. A. Gharrett, M. G. Carls, S. D. Rice, A. Moles, and S. Korn. 1986. Effects of fluctuating temperature on mortality, stress, and energy reserves of juvenile coho salmon. Transactions of the American Fisheries Society 115:52-59.

Thomas, R.E., and S.D. Rice. 1986. The effects of salinity on uptake and metabolism of toluene and naphthalene by Dolly Varden *Salvelinus malma*. Mar. Environ. Res. 18:203-214.

Thomas, R.E., and S.D. Rice. 1986. Effect of temperature on uptake and metabolism of toluene and naphthalene by Dolly Varden char *Salvelinus malma*. Comp. Biochem. Physiol. 84C(1):83-86.

- Thomas, R.E., J.A. Gharrett, M.G. Carls, and S.D. Rice. 1985. Plasma cortisol and glucose, and liver glycogen levels in starved and fed juvenile coho salmon *Oncorhynchus kisutch* in constant and daily fluctuating temperatures. Can. Tech. Rep. Fish. Aquat. Sci. 1368:301-303.
- Thomas, R.E., and S.D. Rice. 1985. Effect of pretreatment exposure to toluene and naphthalene on the subsequent metabolism of dietary toluene and naphthalene by Dolly Varden *Salvelinus malma*. In *Pollution and Physiology of Marine Organisms* (Edited by W.B. Vernberg, A. Calabrese, F.P. Thurberg, and F.G. Vernberg), pp. 505-529. Belle W. Baruch Libr. Mar. Sci. 16, University of South Carolina Press, Columbia. 545 pp.
- Thomas, R.E., and S.D. Rice. 1982. Metabolism and clearance of phenolic and mono-, di-, and polynuclear aromatic hydrocarbons by Dolly Varden char. In *Physiological Mechanisms of Marine Pollutant Toxicity* (Edited by W.B. Vernberg, A. Calabrese, F.P. Thurberg, and F.J. Vernberg), pp. 161-176. Academic Press, Inc., New York. 564 p.
- Thomas, R.E., and S.D. Rice. 1981. Excretion of aromatic hydrocarbons and their metabolites by freshwater and seawater Dolly Varden char. In *Biological Monitoring of Marine Pollutants* (Edited by J. Vernberg, A. Calabrese, F.P. Thurberg, and W.B. Vernberg), pp. 425-448. Academic Press Inc., New York.
- Thomas, R.E., and S.D. Rice. 1979. The effect of exposure temperature on oxygen consumption and opercular breathing rates of pink salmon fry exposed to toluene, naphthalene, and water-soluble fractions of Cook Inlet crude oil and No.2 fuel oil. In *Marine Pollution: Functional Responses* (Edited by W.B. Vernberg, A. Calabrese, F.P. Thurberg, and F.J. Vernberg), pp. 39-52. Academic Press Inc., New York.
- Thomas, R.E., and S.D. Rice. 1975. Increased opercular rates of pink salmon *Oncorhynchus gorbuscha* fry after exposure to the water-soluble fraction of Prudhoe Bay crude oil. Fish. Res. Board Can. 32(11):2221-2224.
- Thrower, F.P. and J.W. Short. 1991. Accumulation and persistence of tri-n-butyltin in pink and chum salmon fry cultured in marine net-pens. Aquaculture 96: 233-239.
- Urawa, S., K. Nagasawa, L. Margolis, and A. Moles. 1998. Stock identification of chinook salmon (*Oncorhynchus tshawytscha*) in the North Pacific Ocean and Bering Sea by parasites tags. North Pacific Anadramous Fish Commission Bulletin 1: 199-204.
- Walter, R. A. 1984. A stream ecosystem in an old-growth forest in southeast Alaska. Part 2: Structure and dynamics of the periphyton community. Pages 57-69 in W. R. Meehan, T. R. Merrell, Jr., and T. A. Hanley, editors. Fish and Wildlife Relationships in Old-Growth Forests. Proceedings of a Symposium. American Institute of Fishery Research Biologists. Available J. W. Reintjes, Rt. 4, Box 85, Morehead City, North Carolina 28557.

- Wang, S.Y., J.L. Lum, M.G. Carls, and S.D. Rice. 1994. The relationship between growth and total nucleic acids in juvenile pink salmon *Oncorhynchus gorbuscha* fed crude oil contaminated food. Canadian Journal of Fisheries and Aquatic Sciences. 50:996-1001.
- Wertheimer, A.C., R.A. Heintz, J.F. Thedinga, J.M. Maselko, and S.D. Rice. 2000. Straying of adult pink salmon from their natal stream following exposure as embryos to weathered Exxon Valdez crude oil. Trans. Amer. Fish. Soc. 129: 989-1004.
- Wertheimer, A.C., Mortensen, D.M., J.M. Maselko, and S. Taylor. 1999. Survival and straying of pink salmon measured during recoveries of coded-wire tags and thermally-induced otolith marks. Pg. 24-34 In: Proceedings of the 1999 Pink and Chum Salmon Workshop, National Marine Fisheries Service, Juneau, Alaska.
- Wertheimer, A.C., N.J. Bax, A.G. Celewycz, M.G. Carls, J.H. Landingham. 1996. Harpacticoid copepod abundance and population structure in Prince William Sound, one year after the *Exxon Valdez* oil spill. Pages 551-563. in S. D. Rice, R. B. Spies, D. A. Wolfe, and B. A. Wright, editors. Proceedings of the *Exxon Valdez* oil spill symposium. American Fisheries Society Symposium 18. American Fisheries Society, Bethesda, Maryland.
- Wertheimer, A. C. and A. G. Celewycz. 1996. Abundance and growth of juvenile pink salmon in oiled and non-oiled locations of western Prince William Sound after the *Exxon Valdez* oil spill. Pages 518-532 in S. D. Rice, R. B. Spies, D. A. Wolfe, and B. A. Wright, editors. Proceedings of the *Exxon Valdez* oil spill symposium. American Fisheries Society Symposium 18. American Fisheries Society, Bethesda, Maryland.
- Wertheimer, A.C., A.G. Celewyca, M.G. Carls, and M.V. Sturdevant. 1994. The impact of the *Exxon Valdez* oil spill on juvenile pink and chum salmon and their prey in nearshore marine habitats. pg. 179-180 in Proceedings of the 16th Northeast Pacific Pink and Chum Salmon Workshop. Alaska SeaGrant College Program, University of Alaska, Fairbanks, Alaska. AK-SG-94-02.
- Willette, M. M. Sturdevant, and S. Jewett. 1997. Prey resource partitioning among several species of forage fishes in Prince William Sound, Alaska. pg. 11-28 in: Proceedings of the Forage Fishes in Marine Ecosystems Symposium, Alaska SeaGrant College Program, AK-SG-97-01, University of Alaska Fairbanks, Fairbanks, Alaska
- Wing, B. L. and A. Moles. 1995. Behavior of *Rocinela angustata* (Isopoda, Aegidae), an ectoparasite of Alaskan marine fishes. J. Aquat. Animal Health 7: 34-37.
- Wolfe, D.A., M.J. Hameedi, J.A. Galt, G. Watabayashi, J. Short, C. O'Clair, S. Rice, J. Michel, J.R. Payne, J. Braddock, S. Hanna, and D. Sale. 1994. The fate of the oil spilled from the *Exxon Valdez*. Environmental Science and Technology 28 (13): 561A-568A

Wright, B.A., J.W. Short, T.J. Weingartner, and P.J. Anderson. The Gulf of Alaska. Pp. 373-384
In: Seas at the Millennium: An Environmental Evaluation. (C. Sheppard (ed.) Pergamon
Press. Amsterdam. (2000).